




牧 田®

牧 田 牌

UH023G



		UH023G
		200 mm
		3,600 /min
		511 mm
		D.C. 36 V - 40 V
	*1	1.1 kg
	*2	1.8 - 3.0 kg
		IPX4

-
-
- *1
- *2

	BL4020* / BL4025* / BL4040* / BL4040F* / BL4050F / BL4080F / BL4080H *
	DC40RA / DC40RB / DC40RC / DC40WA / BCC01 / BCC02



/

	PDC01 / PDC1200 / PDC1500
--	---------------------------

-
-







Ni-MH
Li-ion

3.

1.

2.

3.

4.

5.



NSW

6.

RCD

RCD

7.

EMF

1.

2.

3.

4.

5.

1.

2.

/


6.

7.

8.

9.

Z87.1EN 166ANSI
AS/NZS 1336



1.

2.

3.

/

4.

5.

Ř

2.

5.

3.

6.



7.

1.

8.

2.

9.

3.

1.

2.

4.

3.

4.

5.

5.

6.

6.

7.

8.

7.

9.

10.

1.

11.

2.

18
16

3.

12.

4.

1.

2.

3.

4.

5.

6.


1.

2.

3.

4.

5.



1.

1
3

2

2.

3.

4.

5.

(1)

(2)

(3)

6.

50 ° C 122 ° F

7.

8.

9.

10.

11.

12.

Makita

13.

14.

15.

16.

/

17.

18.




Makita
Makita

Makita

Makita

Makita

Makita



1.

2.

3. 10 ° C - 40 ° C 50 ° F - 104 ° F

4.

5.










			
			75% 100%
			50% 75%
			25% 50%
			0% 25%
			
   			










“ OFF ”








7.











Makita

Makita

⇨		
⇨		
⇨		





Makita

Makita

-
-
- Makita



扫一扫
可查询
售后保修条例

亦可登录

<https://www.makita.com.cn/service4.php>

查询售后保修条例

扫一扫
了解更多
产品防伪查询
方法介绍



亦可登录

<https://www.makita.com.cn/service5.php>

了解更多产品防伪查询方法介绍

总制造商： 株式会社牧田

日本国爱知县安城市住吉町 3-11-8

www.makita.com

885B41-083
ZHCN
20251030